




R2030

HIGH PERFORMANCE/ MAX PERFORMANCE




ASSEMBLY MANUAL







Top view




Right view









INSPECTION CONDITIONS

EMPLOYMENT SERVICES



The initial buildingin spection is included



Building inspections cheduled onclient's indication.



For the approval of the building inspection, the following requirements mustbe met.



Not found readyconstruction site bybuilding inspector, re-inspection atcustomer's expense.




Cost (e500) re-inspection is for the customer.



Assembly appointment only after approval of the building site.



Assembly appointmentat least 4 weeks afterapproved building inspection.





Max. 6cm between edge of concrete foundations and the base rail.




Concrete ring foundation


In accordance with dimensions construction drawing Suihe



Outstanding objects

No pins, cables, tubes at the location of baserail from concrete protruding.





Slope max. I cm per meter, with a max. of 10 cm over length of the building.







Hollow, convex or concave surface not allowed.




No interfering underground utilities below mounting points

No items protruding into, underor from the foundation (conduits.sewer pipes and/or lightning rods)


SITE REQUIREMENTS



2 times the area of the hall and 1.5m of free movement area.



1.5 meters clearance around the building with a plain surface.



Unloading point at a maximum distance of 10 meters from the construction site.

WORKING FACILITIES

These facilities must be indicated:



Toilet



Electricity 16 Amps Sanitary Toilet,water

LOCATION AMENITIES

These facilities should be in place:



Supply &unloading possibilities.



Location for waste



Location for electricity





Location to unloading





Location for rental equipment


20-12R-CS(Width: 6	5.1m Length: 9.15m	Height: 3.66m,1.52	25m Arch Spacing)
Part	Qty. No	SketchMap	Specification
1 5 pcs	1A 2 pcs	2 10 pcs	2L 2 pcs
2R 2 pcs	3 10 pcs	3L 2 pcs	3R 2 pcs
4A 42 pcs	4B 42 pcs	5 30 pcs	6 20 pcs
0 0 0	0 0 0	L=1500mm	L=2140mm
7 7 pcs	7A 7 pcs	8 14 pcs	9L 2 pcs
L=1578mm	L=1579mm	• • •	
9R 2 pcs	9 10 pcs	10 6 pcs	11 4 pcs
12 19 pcs	13 14 pcs	14 8 pcs	14A 2 pcs
		L=2250mm	L=500mm
15 2 pcs	16 1 pcs	U24 56 pcs	U1 1 bundle
		M12*450mm	
U3 1 pcs	U11 14 pcs	S50 168 pcs	S18 36 pcs
		M10*60	M10*30
S3 204 pcs	S49 56 pcs		
M10	M4*16	7	





























TERMS AND CONDITIONS

We strive to provide the best products and services at a reasonable price for potential and ordering customers. This informational instruction is targeted to provide as much informational material as possible in order for potential customers to make an educational decision. Our products are designed to provide an optimal shelter and protection solution at a reasonable cost. The terms and conditions below apply to the products described on this website.

We are no responsible for any of the following as a result of usage of these fabric structures. This list includes (but is not limited to) the following: loss of wages, loss of income, depreciation, property damage, litigation costs, equipment or vehicle rental, equipment damage, construction costs, fuel costs, appraisals, livestock or animal loss, and bodily injury or death. We strongly recommends purchasing insurance for all structures in the rare event of damage due any of the above stated items.

Although our shelter products are considered "temporary/portable structures" and typically do not require building permits, The manufacture recommends all prospective purchasers consult local authorities on building permits prior to purchase.

We also assume no responsibility for any "human caused" or "animal" related incidents. This list includes (but is not limited to) to the following: fire, vandalism, chemical interaction, falling objects, damage caused by animals or insects, **miss assembly, improper anchoring, lack of proper maintenance/care**, and additional weight added to the inside or outside of the structure.

Although our fabric structures perform well under a variety of weather conditions, no snow or wind load ratings are provided due to the "portable structure" nature. As a result, the manufacture assumes no responsibility for damage or destruction caused by any Act of God. This includes (but is not limited to): wind, snow, hail, lightning, hurricanes, tornadoes, volcanoes, rain, avalanches, fire, or flooding.

Product purchase constitutes acceptance of the above terms and condition. Manufacturers/distributors/retailers of these products are not responsible for the following:

- (1) Used products;
- (2) Any product that that been used, altered, or modified in any way;
- (3) Depreciation;
- (4) Damage caused by lack of reasonable and proper maintenance;
- (5) Failure to follow instructions, directions, drawings
- (6) Improper installation, misuse or lack of proper protection during installation, use or storage;
- (7) Damage resulting from accident or falling objects;
- (8) Damage due to normal maintenance or lack thereof;
- (9) Exposure to harmful chemicals, fumes, or other substances, foreign or natural in the atmosphere;
- (10)Acts of God, which includes but is not limited to, wind damage, excessive snow

load, flood, hail, tornado, sleet, ice, fire;

- (11) Unforeseen causes or circumstances, such as but not limited to: added load to the structure, or any other external forces
- (12) Product which is not in the possession of the original purchaser;
- (13) Structure is not properly anchored or installed;
- (14) Third party installation fees are not covered under warranty
- (15) Loss of income, wages, travel expenses, personal property, equipment rental, fuel, and/or property value are not recoverable
- (16) Any condensation damage to the product and its contents.

End panels are excluded from any warranty regardless of the product series or classification.

FAILURE DUE TO IMPROPER INSTALLATION OF THE PRODUCT IS NOT COVERED UNDER WARRANTY

If a product/part is deemed to be defective & not caused by the purchaser and within the warranty term limits, Our company will provide replacement parts at no charge to the purchaser. Examples of defective parts are (but not limited to): torn covers, holes in cover, bent bolts, broken ratchets.

RETURN INFORMATION

We don't offer product return with any restocking fee. It is also the customer responsibility to pay for returned product shipment to and from the final destination. It is also customer responsibility to arrange delivery of the returned product to the manufacturer in the original condition (which includes packaging). Upon suitable assessment of the returned package, the refund will be provided. We reserve the right to decline product returns under certain conditions.

Product ordering and payment constitutes acceptance of the terms and conditions stated above.